



SECTION

NOTES:

1. IF JOINT ON WATER MAIN IS WITHIN LIMITS OF SEWER TRENCH. INSTALL MECHANICAL BELL JOINT CLAMP.
2. IF CLEARANCE IS LESS THAN 18" CONCRETE ENCASE SEWER PIPE 10 FT. EACH SIDE OF WATER MAIN.
3. IN NO CASE SHALL THE SEWER PIPE CONTACT ANY WATER MAIN, SERVICE LINE OR APPURTENANCE.

VERTICAL WATER MAIN CLEARANCE

NOT TO SCALE

File name: P:\0087\008755_0426\CSD\Standard Details\WATERCLEARANCE.dwg Layout: 1 Oct 12, 2011 - 8:33am #1001



369 East Park Drive
Harrisburg, PA 17111
(717) 564-1121
Fax (717) 564-1158
hrg@hrg-inc.com
www.hrg-inc.com

**SCOTT TOWNSHIP AUTHORITY
STANDARD DETAILS**

COLUMBIA COUNTY

PENNSYLVANIA

PROJ. MGR. -	JJM
DESIGN -	WGR
CADD -	RSF
CHECKED -	
SCALE -	N.T.S.
DATE -	OCT. 2011

DETAIL NO.	D21
SHEET NO.	1 OF 1
PROJECT	005755.0426